

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	220	715/509.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:00
L2	468	715/503.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:53
L3	119	715/504.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 15:01
L4	1755	((edit\$5 modif\$5) near5 table) with (insert\$5 delet\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:14
L5	0	((insert\$5 delet\$5) near5 record) with table with (record near5 ("entire row" "range of columns" "column range"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:03
L7	0	4 with (record near5 ("column range" "range of column"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:05
L8	0	4 and (record near5 ("column range" "range of column"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:05
L9	3	((edit\$5 modif\$5) near5 table) with (insert\$5 delet\$5) with (subsequent near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:19

ctn 10/773,619

EAST Search History

L10	0	(shift\$5 near5 portion) with (subsequent near5 table) with (align\$5 near5 ("first portion" and "second portion") near5 (subsequent near5 table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 16:22
L12	3	((edit\$5 modif\$5) near5 (table near5 rows)) with (subsequent near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:01
L13	16	((edit\$5 modif\$5) near5 (table near5 rows)) with ((subsequent following succeeding) near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:04
L14	4	((edit\$5 modif\$5) near5 (table near5 rows)) with (dynamic near5 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:08

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	0	(edit\$5 and "dynamic table" and selectively and insert\$5 and delet\$5 and record and encompass\$5 and "entire row" and array and determin\$5 and "subsequent table" and array and includ\$5 and unalter\$5 and "first portion" and "second portion" and shift\$5 and within and array and shift\$5 and "first portion" and "subsequent table" and align\$5 and "first portion" and "second portion"). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/12 18:14

nh

10/773,619

Interference Search History